

## CARGO CONTAINERS CHECKLIST

### TEMPORARY PLACEMENT

\_\_\_\_\_ Date placed on site  
\_\_\_\_\_ Removal date (maximum 2 weeks from placement)

### PERMANENT PLACEMENT (OVER TWO WEEKS)

#### Application:

- \_\_\_ Permit application complete
- \_\_\_ Site plan to clearly indicate the following:
  - \_\_\_ Show lot dimensions, street names, container location, setbacks to property lines, distance to other buildings
  - \_\_\_ Distance to fire hydrants (commercial property only)
  - \_\_\_ Pad material
  - \_\_\_ Size and make of the structure
  - \_\_\_ Brief summary of materials stored
  - \_\_\_ Size and location of the doorway
  - \_\_\_ Fire extinguisher location
- \_\_\_ \$25.00 fee per container

#### Placement Requirements:

- \_\_\_ Planning Dept. approval
- \_\_\_ Does not occupy required parking, impact drive aisles, fire lanes, retention basins, loading zones, create a hazardous condition
- \_\_\_ Setbacks, building separation distances, and/or firewalls comply
- \_\_\_ Good condition, not altered, rust-free, no peeling paint, no deterioration or bare metal
- \_\_\_ No plumbing fixtures

- \_\_\_ No electrical unless a separate permit is obtained
- \_\_\_ No stacking of containers
- \_\_\_ All wheels are removed, except small rollers
- \_\_\_ No off-premise advertising, company logos, names or other markings on exterior
- \_\_\_ Compacted pad, asphalt, concrete, or wood skids on a compacted pad
- \_\_\_ 2% gradient away from building.

\_\_\_ Residential Zone (Additional Requirements)

- \_\_\_ Legal primary structure on the property.
  - \_\_\_ Located to the rear of the primary structure
  - \_\_\_ Not visible from any abutting street or right-of-ways
  - \_\_\_ Not visible from any adjacent residential lot. Screening material includes a 6' sight-obscuring fence or existing landscaping or vegetation (show on plans and provide photo)
  - \_\_\_ Only one container per lot
- 

\_\_\_ *Inspection Date* \_\_\_\_\_

\_\_\_ *Corrections due date (15 working days from inspection)* \_\_\_\_\_

\_\_\_ *Container placement approval date* \_\_\_\_\_

**Refer to WMC 15.28**